	Application No.	Applicant(s)
Notice of Allowability		
	10/003,768	MATSUO, NAOSHI
	Examiner	Art Unit
	Xu Mei	2644
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>amendment filed 10/31/2005</u> .		
2. The allowed claim(s) is/are <u>8-11.</u>		
<ul> <li>3.  Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a)  All b)  Some* c)  None of the:</li> </ul>		
Certified copies of the priority documents have been received		
2.  Certified copies of the priority documents have been received in Application No. <u>09/039,777</u> .		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached		
1)  hereto or 2)  to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s)  1. Notice of References Cited (PTO-892)	5 ☐ Notice of Informal F	Patent Application (PTO-152)
2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ☐ Interview Summary	(PTO-413),
3. Information Disclosure Statements (PTO-1449 or PTO/SB/0	Paper No./Mail Da 98), 7. 🔲 Examiner's Amend	ment/Comment
Paper No./Mail Date  4.	8. X Examiner's Statement	ent of Reasons for Allowance
or biological inlaterial .	9.	•
	•	

1. The following is an Examiner's Statement of Reasons for Allowance:

The prior art fails to discloses a microphone array apparatus which particular including a microphone array having microphones; a signal estimator which estimates positions of a plurality of estimated microphones in accordance with intervals at which the microphones are arranged by using output signals of the microphones and a velocity of sound and which outputs the further output signals of the plurality of estimated microphones estimated to be at the positions together with the output signals of the microphones forming the microphone array; and a synchronous adder which aligns phases of the output signals of the microphones and the further output signals of the plurality of estimated microphones and then adds the output signals and the further output signals. The specific details regarding the signal estimator that estimates positions of a plurality of estimated microphones and the synchronous adder for aligns phases of the microphone and the estimated microphone signals are explained on page 30, line 21-page 32, line 32 of the specification and also Figure 19. The cited prior art references in the previous office actions show various microphone apparatus or

Application/Control Number: 10/003,768 Page 3

Art Unit: 2644

microphone array systems; but fail to disclose or suggest the particular combination of elements and their respective functions as recited in the instant claimed invention.

- 2. Any comments considered necessary by applicant must be submitted no later than the payment of the Issue Fee and, to avoid processing delays, should preferably accompany the Issue Fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."
- 3. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Xu Mei whose telephone number is 571-272-7523. The examiner can normally be reached on Monday-Friday (9:30-6:00).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Vivian Chin can be reached on 571-272-7848. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Xu Mei

Primary Examiner Art Unit 2644 11/22/2005